Base oil

Other additives

MATERIAL SAFETY DATA SHEET

Date: 21 January 2006	MSDS identifier: 47781 Revision
1. Product and company	dentification
Product name	ENEOS AT Fluid
Use	Automatic transmission Fluid
Supplier	Nippon Oil (U.S.A.) Ltd.
Supplier	3625 Del Amo Boulevard, Suite 385, CA 90503
Telephone	310-214-2050
Emergency telephone	310-214-2050 or 630-875-9701
Manufacturer	Nippon Oil Corporation, Nishi Shimbashi 1-chome, Minato-ku Tokyo, 105-8412 Japan
2. Hazards identification	1
Emergency overview	Red liquid, slight odour. Caution! - prolonged or repeated contact with skin may cause irritation in some cases.
Precautionary measures	Avoid breathing vapor and mist. Keep container closed. Avoid contact with eyes, skin, and clothing.
OSHA regulatory status	This material may be considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) as it contains mineral oil with an occupational exposure limit (mineral oil mist – See section 8).
Potential health effects	(Inniera on finst bee section o).
Inhalation:	Vapor or mist, in excess of permissible concentrations, or ir unusually high concentrations generated from spraying, heating the material, or as from exposure in poorly ventilate areas or confined spaces, may cause irritation of the nose ar throat, headache, nausea, and drowsiness.
Skin:	May cause minimal skin irritation.
Eyes:	May cause minor irritation.
Ingestion: Chronic properties:	May cause abdominal discomfort, nausea, or diarrhea. If prolonged exposure occurs, nausea, headache, diarrhea, a physical discomfort. This material is listed as Group 3 (IAR not classifiable as to its carcinogenicity to humans). See Section 11 for toxicological information.
Potential environmental effects	The product is an insoluble oil and may produce a visible sheen on water.
	See Section 12 for ecological information.
3. Composition/informat	tion on ingredients
Declarable components None	Conc. (%)
Other components	> 90

>80

 $<\!\!20$

Date: 21 January 2006	MSDS identifier: 47781	Revision: 1
4. First-aid measures		
Inhalation	Remove exposed person to fresh air if adverse ef dizziness, drowsiness, or respiratory irritation) or medical attention for symptoms of difficulty in br	ccur. Obtain
Skin contact	Wash affected area with soap and water. Get med attention if irritation occurs. Launder contaminate before re-use.	dical ed clothing
Eye contact	In case of contact with eyes, irrigate with water f minutes. Seek medical advice, especially if irritati symptoms persist.	
Ingestion	If swallowed, wash out mouth thoroughly and giv drink. Seek medical attention and show this safet Do not induce vomiting, unless instructed by med personnel.	y data sheet.
Note to physicians	Give symptomatic treatment and supportive thera	ıpy.
5. Fire-fighting measures		
Fire and employing properties	The product is not flowmable, but may hum if in	volved in a
Fire and explosive properties	The product is not flammable, but may burn if inv fire. The product does not have explosive proper	
Extinguishing media	Carbon dioxide, dry chemical and foam are recom	
	aware that product will float on water. Water jets	• •
	fire, or cause splattering. Remove containers from them with water.	n fire or cool
Specific hazards	When burned, product may form smoke, and tox	ic fumes.
•	gases or vapours.	,
Protection of firefighters	Fire fighters should wear an approved self-contai	ned
	breathing apparatus and full protective clothing.	
6. Accidental release measure	ıres	
Personal precautions	Wear appropriate protective clothing (See Section including respiratory protection, during removal espillages.	
Containment and	Product is not classified as environmentally hazar	
environmental precautions	Stop the source of leak or release. Prevent leakag	·
	drainage system by bunding, or diking with sand absorbent material.	or other
Method for clean-up	Clean up spill as soon as possible, using appropri	ate
-	techniques such as absorption with inert materials	s or pumping.
	Where feasible and appropriate, remove contamin	
	Collect spill for disposal and place in suitable con	
	disposal in accordance with local and federal regu Wash contaminated surfaces with detergent. Follo	
		- · ·

Date: 21 January 2006	MSDS identifier: 47781	Revision: 1
	prescribed procedures for responding to larger spills reporting to appropriate authorities.	s and
7. Handling and storage		

Information for safe handling	Avoid contact with skin and eyes. Wear protective clothing as
	in Section 8. Do not weld, heat or drill container. Maintain
	minimum feasible handling temperature. Water contamination
	should be avoided. Caution: do not use pressure to empty
	drum, or drum may rupture with explosive force. Emptied
	container may still contain material, which may ignite with
	explosive violence if heated sufficiently.

Storage Exposure to high temperatures should be avoided. Keep container closed when not in use.

8. Exposure controls/personal protection

Exposure guidelines	When mists/aerosols can occur: ACGIH TLV (oil mist), 5 mg/m^3 ; ACGIH STEL (oil mist), 10 mg/m^3 .
Engineering controls	No special ventilation is usually necessary. Good general ventilation is recommended. However, if operating conditions create high airborne concentrations, appropriate local exhaust ventilation may be needed.
Personal protective equipment	Avoid skin contact by wearing chemical resistant gloves (eg nitrile). Wear chemical safety goggles or face shield if splashing possible. Where more extensive contact may occur, wear suitable protective clothing (eg apron, sleeves, boots). Wear suitable respiratory protective equipment (breathing mask) if exposure to vapour is likely.
General hygiene	Avoid contact with skin and eyes. Wash thoroughly after handling.

9. Physical and chemical properties

Appearance	Red liquid
Odour	Slight
Pour point	<-45 °C
Boiling range	No data available
Flash point (typical)	216 °C (COC)
Explosive properties	None identified
Autoignition temperature	No data available
Vapour pressure	No data available
Density	$0.853 \text{ g/cm}^3 \text{ at } 15 ^{\circ}\text{C}$
Solubility: in water	Insoluble
Partition coefficient	No data available

Date: 21 January 2006	MSDS identifier: 47781	Revision: 1
DMSO Extract (base oil)	< 3% (IP 346)	
10. Stability and reactivity		
Chemical stability	Stable under recommended storage and han conditions. No hazardous polymerisation.	ndling
Conditions to avoid	Avoid prolonged storage at high temperature	re.
Incompatible materials	Acids, oxidising agents, acids, halogens and compounds.	l halogenated
Hazardous decomposition products	Thermal decomposition may produce smoke monoxide, aldehydes and other products of incomplete combustion. Hydrogen sulfide a mercaptans and sulfides may also be release combustion conditions, oxides of the follow will also be formed: calcium, sulfur, and zin	nd alkyl ed. Under ving elements
11. Toxicological informat	ion	
The product has not been tester Acute toxicity	d for toxicological effects. LD_{50} (oral) believed to be > 5000 mg/kg (prac toxic). LD_{50} (dermal) believed to be > 3000 mg non-toxic)	•
Corrosivity/irritation	No data available	
Sensitisation	No data available	

Repeated-dose toxicityNo data availableMutagenicity/Carcinogen-
icity/Reproductive toxicityThis material is listed as Group 3 by IARC (not classifiable as
to its carcinogenicity to humans). No data on other
properties.

12. Ecological information

The product has not been tes	sted for ecological effects.
Toxicity	No data available.
Mobility	The product is an insoluble liquid, and floats on water.
Persistence/degradability	No information available.
Bioaccumulation	No information available

13. Disposal considerations

Product is suitable for disposal by incineration or by an oil recycling facility. Disposal must be in accordance with current national and local regulations. Chemical residues generally count as special waste, and their disposal may be controlled through corresponding local, state or federal laws. Local regulations may be more stringent than national requirements. The hazards

|--|

of the waste may differ from that of the product, and it is the responsibility of the waste generator to identify hazards and dispose wastes in compliance with applicable regulations.

14. Transport information

This product is not regulated by the Department of Transport (DOT).

15. Regulatory information

Regulatory status:

US: This product is classified as an oil under Section 311 of the Clean Water Act (40 CFR 110). Discharge that produces a visible sheen on either surface water, or in waterways/sewers which lead to surface water, must be reported. CERCLA: This product is not subject to any special reporting under the requirements of the Comprehensive Environmental Response Compensation and Liability Act. Local reporting requirements may be in force. Sara Title III: This product is not hazardous. The product contains no reportable ingredients above 1%.

16. Other information

This MSDS has been revised in all section(s) compared to previous versions.

References

- 1. Handbook of Toxic and Hazardous Chemicals and Carcinogens (2nd ed.)
- 2. Registry of Toxic Effects of Chemical Substances (NIOSH, 1983).

Disclaimer: Material safety data sheets are provided as reference information on the safe handling of hazardous or harmful materials to companies using such materials. When referring to this data sheet, companies should remember that they must take responsibility for implementing the proper measures for their own particular situations. This data sheet is not a guarantee of safety.